

**A-WARD™**

# MiSlide™

## COMPACTOR

MiSlide™ PRODUCT BROCHURE




**MiSlide COMPACTOR  
PRODUCT  
BENEFITS**

**FIRST. FAST.**  
**MiSlide COMPACTOR**  
FOR TRANSPORT OF



**[ MAXIMUM VOLUME / MINIMAL YARD USE /  
MAXIMISE CAPACITY ]**



**MiSlide COMPACTOR** is ideal for those yards where space is at a premium. Encapsulated by the shipping container, the whole operation is able to achieve a loading footprint only fractionally larger than the truck itself.

**[ BALE ]**



Make sure every truck takes the maximum weight. Simplify your transport fleet. And your shredder will love these bales.



**A-WARD™**

## TECHNICAL SPECIFICATIONS

### PERFORMANCE

**Capacity:** MiSlide Compactor will load 20 foot and 40 foot shipping containers as well as other bulk material trailers.

**Cycle Time:** Each full load can be transferred from the MiSlide Compactor into a shipping container in Approximately 5 minutes (conditions apply).

### MACHINE DETAILS

**Chamber Lining:** Solid Hardox 450 wear resistant plate used on chamber floor and walls

#### Chamber Dimensions:

**Length:** 3710mm [ 12.17' ]  
**Width:** 1630mm [ 5.40' ]  
**Height:** 1840mm [ 6.40' ]  
**Volume:** 10.994m cubed [ 36.07' ]

#### Overall Dimensions:

**Length:** 21933mm [ 71.96' ]  
**Width:** 2781mm [ 9.12' ]  
**Height:** 4045mm [ 13.27' ]  
**Weight:** 80 t

### REMOTE CONTROL

**Model:** IKUZI: iControl - proportional paddle  
**Type:** Durable handheld remote control with digital display screen. Available in 915MHz and 433 MHz frequencies. (also displays weight of the load)

### HYDRAULIC SYSTEM

**Flow Rate:** 40 – 160 lpm [ 10 - 42 gpm ]  
**Working Pressure:** 3500 PSI  
**Hydraulic Tank:** 2700 litres [ 713gal ]  
**Configuration:** 18" Compactor Cylinder

### SELF-CONTAINED POWER UNIT OPTIONS

**Diesel:** 295HP Cummings Engine

### DIGITAL WEIGH SYSTEM

**Model:** Griffith Elder WT2  
**Type:** Digital Weigh System including 6 shear beam load bars. Weight is displayed on the machine and on the remote control screen.

**Accuracy:** + / - 0.5%

### COMPACTOR CHAMBER

**Overview:** The Compactor is an option that enables companies to compact materials into bales. The multiple bales are then transferred into the MiSlide loading chamber. The compactor can be added to new and existing MiSlide models. The Compactor is ideal for quick transportation and exporting to larger shredding yards.

**Bale Size:** 1.7x1.8x1.1m [ 66"x 70"x 43" ]  
**Weight:** 2.27 ton [ 5004 lbs ]  
**Density:** 720-800kg/m3 [ 1763 lb/yd3 ]  
**Speed:** 2 min cycle time per bale



**HEAD OFFICE**  
**+64 9 634 4086**  
**SALES@A-WARD.COM**

**NEW ZEALAND**  
**+64 21 774 934**

**SOUTH AMERICA**  
**+55 419 934 6508**

**AUSTRALIA**  
**+61 4 0966 0029**

**UNITED KINGDOM**  
**+44 77 6482 6476**

**USA**  
**+1 912 660 8661**

**EUROPE**  
**+39 340 400 9996**